

## Pre-Procedure Management of Medications

Please review these special instructions if you are taking any of the medication listed below:

Stop Taking 7 Days Before Procedure	Stop Taking 4 Days Before Procedure	Do Not Take Day of Procedure
Bydureon/Exenatide Extended Release	Brenzavvy/Bexagliflozin	Adlyxin/Lixisenatide
Mounjaro/Tirzepatide	Farziga/Dapagliflozin	Byetta/Exenatide BID
Zepbound/Tirzepatide	Inovanka/Canagliflozin	Rybelsus/Semaglutide oral
Ozempic/Semaglutide	Jardiance/Empagliflozin	Saxenda/Liraglutide
Tanzeum/Albiglutide	Steglatro/Ertugliflozin	Victoza/Liraglutide
Trulicity/Dulaglutide	Adipex-P/Lomaira/Phentermine	Glyset/Miglitol
Wegovy/Semaglutide		Precose/Acarbose

**\*\*\* Anticoagulation Medications Also require Special Instructions for holding prior to procedures\*\*\***

Hold instructions for these medications are provided by your GI Provider/PCP/Cardiologist		
Coumadin/Warfarin	Eliquis/Apixaban Xeralto/Rivaroxaban Pradaxa/Dabigatran	Lovenox/Enoxaparin